



OWNER'S MANUAL

ERYRI

ADVENTURER

4-Berth Campervan

Renault Trafic

Hilltop Campers

Welcome

Thank you for purchasing your new Eryri Adventurer.

The Eryri 4-berth camper is equipped with premium features, such as a pop-top with an additional rear strut brace system, deluxe scenic canvas, the top-rated Vulcan bed system, a double swivel seat, and high-quality electrical components.

We've put real attention to detail and dedication to quality into every build.

We hope you enjoy your new campervan and find this guide helpful on your adventures.

SUPPORT & WARRANTY












For technical support or warranty queries, please contact us:

Phone: 07869 169826
Email: hello@hilltopcampers.co.uk
Web: hilltopcampers.co.uk

Unit 1B, Builder Street West
Llandudno, LL30 1HH

Your campervan comes with a 2-year conversion warranty. Please retain your proof of purchase.

Contents

	01	Pop-Top Roof	5
	02	Rock & Roll Bed	6
	03	Swivel Seat	7
	04	Cooking	8
	05	Diesel Heater	10
	06	Water System	11
	07	Control Panel	12
	08	Lighting	13
	09	Refrigeration	14
	10	Smart Electrical	15
	11	Safety Equipment	17



Deluxe Pop-Top Roof

Premium Scenic Canvas

● Opening

Open a vehicle door or window to equalise air pressure. Release the internal safety straps and push the roof up; the gas struts will assist the lift.

● Upper Bed

Push the gas-strut assisted bed board up for standing room during the day. Pull it down at night to create the upper double bed.

● Scenic Canvas

Zip open the front and side canvas sections for a panoramic view. Ensure all zippers are fully closed before lowering the roof.

● Closing

Ensure the upper mattress is clear of all bedding. Pull the roof down slowly using the handles. Check that the canvas is folding inward.

● Secure

Tighten both safety straps firmly before driving to ensure a weather-tight seal.



Vulcan M1 Rock & Roll Bed

Crash-Tested Bed System

● Conversion to Bed

Move the front seats forward for clearance. Lift the release lever at the front base of the seat. Pull the seatbelts slightly to take up tension and prevent locking.

● Complete Conversion

Pull the seat base forward using the front lever. The seat will transition smoothly into a flat double bed.

● Returning to Seat

Locate the pull-strap near the right-centre of the bed. Pull the strap upward and back at a 45-degree angle. Ensure it clicks into the locked position before travel.

Important:

Always ensure the bed is fully locked in seat position before driving.



Vulcan Swivel Seat

Passenger Seat

Your van is fitted with a Vulcan Swivel base on runners for maximum flexibility.

● To Rotate

Ensure the vehicle is stationary and the handbrake is firmly engaged. Unscrew the 5 locking bolts on the base plate.

● Rotation Steps

Slide backwards using the runners to move the seat into the living space to clear the door frame (B-pillar). Rotate the seat anticlockwise to face the rear.

● For Driving

The seat must face forward. Align the plates and tighten all 5 locking bolts until the seat is rock-solid.

Important:

Never drive with the seat rotated. All 5 bolts must be fully tightened.



Cooking System

2-Burner Gas Hob

Your camper is equipped with a stainless steel 2-burner gas hob for traditional cooking.

● Operation

Open the gas valve at the cylinder. Push and turn the control knob to the 'large flame' position.

● Ignition

Press the Piezo ignition button until the burner lights. Hold the control knob in for 5-10 seconds.






Wallas Duo

Diesel Hob and Diesel Heating

UPGRADE OPTION



Startup

Power the unit via the digital panel. It draws fuel from the main diesel tank.

Cooking

Functions as a flame-free induction-style hob.

Heating

Close the blower lid to circulate warm air through the cabin.


Shutdown

Press power once and allow the cool-down cycle to finish before isolating power.



Autoterm Air 2kW

Diesel Heater



The Comfort Control uses a rotary knob with a centre push button and a 'back' button.

● Power On

Press the rotary knob once to wake the screen.

● Starting

Press the rotary knob to enter the 'Heating' menu. Select your mode and set the desired duration.

● Adjusting Temp

While running, turn the knob to increase or decrease the target temperature.

● Stopping

Press and hold the rotary knob for a few seconds. The heater will enter a 'purge' phase for 3-5 minutes.

Important:

Do not cut main power until the heater is completely silent.



Heating Modes

Choose What Works Best

● **Temperature Mode**

The heater reduces power to maintain a set temperature (0°C-30°C) without shutting off.

● **Thermostat Mode**

The heater shuts down completely once the set temperature is reached and restarts when it drops.

● **Power Mode**

Operates constantly at a fixed power level.

● **Heat + Ventilation**

Heats until reaching the setpoint, then switches to fan-only ventilation until the temperature drops.



Water System

Fresh & Waste

High-grade stainless-steel sink equipped with a mono tap.

● Fresh Water

A 10L freshwater container is provided for drinking and cooking.

● Waste Water

A 10L wastewater container collects used water from the sink.

● Water Pump

The BCA Arizona control panel operates the water pump via a 12V system. Ensure the water tank is filled before activating.

● Water Heater

6 Litre water heater (where fitted). Turn the control knob clockwise to set temperature.

Important:

Ensure the Water Heater is filled before operation by running the hot tap until water flows freely.



BCA Arizona Panel

Control & Charging

Multi-function interface with 3.1-inch capacitive LCD touch screen.

● Interface

Controlled via touch screen and physical rotary dial for simple menu navigation.

● Connectivity

App-compatible (iOS & Android) via Bluetooth or Wi-Fi.

● Master Switch

Ensure the Master Switch is ON to power the lights and sockets.

● USB Ports

7 dedicated ports: 5x USB-A for standard electronics, 2x USB-C for fast-charging.

● 12V Sockets

Two 'cigarette lighter' style sockets for heavy-duty 12V appliances.





Lighting

LED System

● Main Lights

Press the main light switch on the Arizona Control touch screen panel.

● Interior LEDs

The central bed strips are dimmable. Press and hold the light switch until you reach the desired brightness.

● Downlighters

4 touch downlighters located on the left roof profiles.

● Reading Lights

2 dimmable reading lights with 2 USB-A 2.1A ports.

● Kitchen

Above counter LED strip with its dedicated switch near the control panel.

● Roof Bed

LED touch light with integrated USB-C for fast charging.

● Awning Light

Controlled via switch left of the sliding door. Turn off before driving.



CR50X Refrigeration

50L with Freezer

● Power On/Off

Press the power button once to switch the unit on or off.

● Temperature

Press Settings to switch zones. Use + or - to adjust. Fridge: 0-8°C. Freezer: -12 to -20°C.

● Night Mode

Long-press power for 3 seconds to dim the screen and turn on night light.

● Battery Protection

Long-press Settings for 3 seconds, then press again to cycle through High, Medium, and Low.

● Bluetooth

Download 'Alpicool Ice Tiger' app to control via Bluetooth.



Smart Electrical

Victron Connect App

Monitor your power levels in real-time using your smartphone.



● Setup

Download VictronConnect from the App Store or Google Play.

● Connecting

Turn on Bluetooth. The app will find your Solar Controller and Orion Charger.

● Automatic

The 75/15 works automatically. As soon as daylight hits the panel, it begins charging.

● Monitoring

Tap 'SmartSolar' in the app. Look for 'Bulk', 'Absorption', or 'Float' states.



Orion-Tr Smart 30A

DC-DC Charger & Power Tips

Charges your leisure battery from the van's alternator while driving.

● **Engine-Detection**

The Orion wakes up only when the engine is running. It will not drain your starter battery.

● **Monitoring**

Tap 'Orion Smart' in the app. Input Voltage shows starter battery health.

● **Off-Grid**

In summer, the solar panel can keep the battery topped up indefinitely with just fridge and lights.

● **Winter**

A 30-60 minute drive will significantly replenish your lithium battery.

● **Low Battery**

If below 11V, plug into 230V hook-up immediately to protect the lithium cells.



Safety Equipment

CO Alarm

Your camper is fitted with a 10-year sensor life carbon monoxide alarm for your safety.

● Activation

Insert 2x AA batteries into the rear compartment. The alarm will beep once and the green LED will flash to confirm it's working.

● Testing

Press and hold the Test button for 3 seconds. The alarm will sound briefly to confirm it's operational. Test monthly.

● LED Indicators

Green flash every 40 seconds = normal operation. Red flash with beeps = CO detected. Amber flash = low battery or fault.

● Evacuate

If the alarm sounds continuously, leave the vehicle immediately. Move to fresh air outside.

● Ventilate

Open all doors and windows. Do not re-enter until the alarm has stopped and the area is ventilated.

● Check Sources

Possible CO sources include the diesel heater, gas hob, or blocked ventilation. Have appliances checked before use.

● Seek Help

If anyone feels unwell (headache, dizziness, nausea), seek medical attention immediately and call emergency services.

Important:

Carbon monoxide is odourless and deadly. Never ignore the alarm. Never remove batteries to silence it.



AA Fire Extinguisher

950g BC Dry Powder

BSi approved extinguisher for Class B (liquids), Class C (gases) and electrical fires.

- Location**

The extinguisher is secured in an accessible location. Ensure all occupants know where it is stored.
- Suitability**

Use on flammable liquid fires (petrol, oil, grease), gas fires, and electrical equipment fires. Do NOT use on wood, paper or fabric fires.
- P - Pull**

Pull the safety pin from the handle to break the tamper seal. This unlocks the operating lever.
- A - Aim**

Aim the nozzle or hose at the base of the fire, not at the flames themselves.
- S - Squeeze**

Squeeze the lever slowly and evenly to discharge the extinguishing agent.
- S - Sweep**

Sweep the nozzle from side to side at the base of the fire until it appears to be out. Watch for re-ignition.

Important:

Only tackle small fires. If in doubt, evacuate and call 999. Check the pressure gauge regularly - replace if in red zone.

Hilltop Campers

Premium Campervan Conversions

Unit 1B, Builder Street West

Llandudno, LL30 1HH

07869 169826

hello@hilltopcampers.co.uk

hilltopcampers.co.uk



Hilltop Campers

hilltopcampers.co.uk

07869 169826